AUTHOR INDEX

Abstracts, 175, 261, 348, 436, 519
Ai S. see Huang Y., 502
Aihara K., see Suzuki, T., 443
Al-Baker A. A., see Attalla M. F., 170
Alexakis D., see Panayotou P., 47
Allgower M., see Monge G., 269
Alshlash S., see El Danaf A., 62
Anastakis D., see Ng D., 151
Ara M., see Sawada Y., 225
Arendrup K., see Poulsen T. D., 59
Aronson M., see Fried M., 458
Attalla M. F., Al-Baker A. A. and El-Ekiabi S. A., Friction burns of the hand caused by jogging machines: a potential hazard to children, 170
Baena-Montilla, P., see Benito-Ruiz, J. 201
Barisoni D., Bellavite P., Sorio A., Bonazzi M. L., Zermani R. and Bortolani A., Monitoring of elastase in plasma of burned patients in relation to other inflammation parameters, 141
Baruchin, A. M., see Rozenbaum, D., 136
Baruchin A., see Benmeir, P., 402
Baschong W., see Isler H., 93
Bauen A., see Isler H., 93
Bauen A., see Isler H., 99
Bautin E. A. see Shvets V. N., 243
Belcher H. J. C. R. and Eliis H., An investigation of the role of diet and burn-injury on wound-healing, 14
Bellavite P., see Barisoni D., 141
Ben-Bassat M., see Fried M., 458
Ben-Hur N., see Fried M., 338
Ben-Yaqar Y., see Benmeir P., 402
Benito-Ruiz J., Navarro-Monzonis A., Baena-Montilla P. and Mirabet-Ippolito V., An analysis of burn mortality: a report from a Spanish regional burn centre, 201
Benmeir P., see Eldad A., 430
Benmeir P., Levine I., Shostak A., Oz V., Shemer Y. and Sokolova T., The Ural train–gas pipeline catastrophe: the report of the IDF Medical Corps assistance, 320
Benmeir P., Eldad A., Weinberg A., Neuman A., Rotem M., Lusthaus S. and Wexler M. R., Use of buried skin implants after recurrent failure of conventional skin grafting in a massive burn: the renewal of an old technique, 342
Benmeir P., Sagi A., Greber B., Vardy D., Lusthaus S., Picard E., Baruchin A., Hauben D., Ben-Yaqar Y. and Rosenberg et al., L., Analysis of mortality in patients with burns covering 40 percent BSA or more: a Retrospective review covering 24 years (1964–1988), 402
Berliner S., see Fried M., 458
Bhagia S. P., see Kumar P., 425
Bhatnager S. K., see Kumar P., 425
Bhattacharya S., Shatnagar S. K. and Chandra R., Post burn contracture neck – our experience with a new dynamic extension splint, 65
Billi G., see Grisolia G. A., 52
Blight A., Mountford E. M., Cheshire I. M., Clancy J. M. P. and Levick P. L., Treatment of full thickness burn injury using cultured epithelial grafts, 495
Bonazzi M. L., see Barisoni D., 141
Booth M. G., see Kinsella J., 391
Bortolani A., see Barisoni D., 141
Boucher F., Poumay Y., Degan A., Paye M. and Leloup R., Utilization of human cultured epidermal keratinocytes: irreversibility of the inhibition of proliferation induced in stored detached cultures, 205
Bouter L. M., see van Rijn O. J. L., 213
Bouter L. M., see van Rijn O. J. L., 357
Bouter L. M., see van Rijn O. J. L., 364
Bowden M. L., see Prasad J. K., 302
Bowering K., see Davey R. B., 313
Boyle C. M., see Hanley J. A., 104
Broly H., see Ronfard V., 181
Brough M. D., The King's Cross Fire. Part I: the physical injuries, 6
Budkevich, L. and Remensnyder, J. P., Initial experience with surgical treatment of deep burns at a USSR Children's burn plant, 499
Budny P. G., see Regan P. J., 306
Budny P. G., Regan P. J., Riley P. and Roberts A. H. N., Ritual burns – the Buddhist tradition, 335
Budny P. G., see Riley P., 400
Burke J. F., see Hanley J. A., 104
Burn care facilities, 68, 159, 160, 228
Carter E. A., see Trop M., 193
Carter E. A., see Schiffrin E. J., 276
Carter E. A., see Trop M., 288
Carter E. A., see Garg H. G., 452
Catalano P. W., see Law E. J., 254
Chambon E., see Ronfard V., 181
Chandra R., see Bhattacharya S., 65
Chandra R., see Kumar P., 425
Chang L. Y. and Yang J. Y., The role of bone scan in electric burns, 250
Chapman M. J. see Gaukroger P. B., 396
Chaube R. J., see Jain M. L., 340
Cheng Y.-M., see Lai, C.-S., 510
Cheshire I. M., see Blight A., 495
Chissell H. G., see Cole R. P., 117
Chou C.-K., see Lin S.-D., 220
Chou C.-K., see Lin S.-D., 473
Chou C.-K., see Lai C.-S., 510
Clancy J. M. P., see Blight A., 495
Clark W. R. see Nieman G. F., 384
Clarke J. A., see Turley C. B., 56
Cole R. P., Shakespeare P. G., Chissell H. G. and Jones S. G., Thermographic assessment of burns using a non-permeable membrane as wound covering, 117
Dafna Z., see Rozenbaum D., 136
Danti D. A., see Grisolia G. A., 52
Dattatreya R. M., Nuijen S., van Swaaij A. C. P. M. and Klopper P. J., Evaluation of boiled potato peel as a wound dressing, 323
Davey R. B., Wallis K. A. and Bowering K., Adhesive contact media – an update on graft fixation and burn scar management, 313
Davey R. B., see Gaukroger P. B., 396
Davies J. W. L., Challenges for the future in burn research and burn care, 25
Degen A., see Boucher F., 205
Dolynchuk K. N., Plasma fibronectin levels as predictive of survival in major thermal injury, 185
Donelan M. B., see Garg H. G., 452
Douglas L. G., see Ng D., 151
Dreyer M., see Leicht P., 230
Du, G.-B., Slater H. and Goldfarb I. W., Influences of different resuscitation regimens on acute early weight gain in extensively burned patients, 147
Edelman G. C., Sweet M. E., Messing E. and Helgerson R. B., Treatment of severe electrical burns of the genitalia and perineum by early excision and grafting, 506
Egorov B. B., see Shvets V. N., 243
El Danaf A., Alshlash S., Filobbos P., Rasmi M. and Salem S., Analysis of 105 patients admitted over a 2-year period to a modern burns unit in Saudi Arabia, 62
El-Ekiabi S. A., see Attalla M. F., 170
Eldad A., and Tuchman I., The use of Omiderm as an interface for skin grafting, 155
Eldad A., and Simon G. A., The phosphorous burn – a preliminary comparative experimental study of various forms of treatment, 198
Eldad A., see Benmeir P., 342
Eldad A., Simon G. A., Kadae T. and Kushnir M., Immediate dressing of the burn wound, will it change it's natural history?, 233
Eldad A., Neuman A., Weinberg A., Benmeir P., Rotem, M. and Wexler M. R., silver sulphadiazine-induced haemolytic anaemia in a glucose-6-phosphate dehydrogenase-deficient burn patient, 430
Ellis H., see Belcher H. J. C. R., 14
Fernandes Sr B., see Vartak A. M., 239
Filobbos P., see El Danaf A., 62
Forbes M., see Gray J. H., 37
Franco A., see Maldonado M. D., 188
Freund K. G., see Poulsen T. D., 59
Fried M., Rosenberg B., Tuchman I., Ben-Hur N., Yardeni P., Sternberg N. and Golan J., Electrical burn injury of the scalp – bone regrowth following application of latissimus dorsi free flap to the area, 338
Fried M., Ben-Hur N., Berliner S., Medalia O., Aronson M., Kidron D. and Ben-Bassat M., The state of leukocyte adhesiveness/aggregation (LAA) in the peripheral blood of burned mice: an early and sensitive inflammatory indicator and a marker of pulmonary leukostasis, 458
Galizia J. P., see Ronfard V., 181
Garg A. K., see Jain M. L., 340
Garg H. G., Lippay E. W., Carter E. A. Donelan M. B. and Remesnyder J. P., Proteoglycan synthesis in human skin and burn scar explant cultures, 452
Gattis C. S., see Law E. J., 75
Gaukroger P. B., Chapman M. J. and Davey R. B., Pain control in paediatric burns – the use of patient controlled analgesia (PCA), 396
Germann, E., see Gray J. H., 37
Golan J., see Fried M., 338
Goldfarb I. W., see Du, G.-B., 147
Goto M., see Ono I., 110
Gray J. H., Henry D. A., Forbes M., Germann E., Roberts F. J. and Snelling C. F. T., Comparison of silver sulphadiazine 1 per cent, silver sulphadiazine 1 per cent plus chlorhexidine digluconate 0.2 per cent and mafenide acetate 8.5 per cent for topical antibacterial effect in infected full thickness rat burn wounds, 37
Greber B., see Benmeir P., 402
Griffiths T. A., see Williams E. E., 478
Grisolia G. A., Pelli P., Pinzauti E., Panozzo G., Stuto A., Danti D. A., Billi G. and Pampaloni, Skin substitutes in the treatment of deep partial thickness burns in children: clinical experience and long term results, 52
Grol M. E. C., see van Rijn O. J. L., 357
Guo Z.-R, Sheng S.-Y., Oppenheimer L., Hoppensack M. and Schneider U., Pulmonary oedema in isolated lung lobe after inhalation injury, 468
Hakim T., see Nieman G. F., 384
Hambleton J. and Shakespeare P. G., Thermal damage to skin collagen, 209
Hammarlund C., see Svedman C., 41
Hammarlund C., Svedman C. and Svedman P., Hyperbaric oxygen treatment of healthy volunteers with u.v.-irradiated blister wounds, 296
Handel J. and Steinbrecher H. A., Thromboembolic events in a severely burned patient, 514
Hanley J. A., Burke J. F., Locke J. A. and Boyle C. M., Sampling events in space and time: a case study of burn injuries, 104
Hauben D., see Benmeir P., 402
Helgerson R. B., see Edelman G. C., 506
Henry D. A., see Gray J. H., 37
Hirayama T., see Suzuki T., 443
Hirohata Y., see Suzuki T., 443
Hochart D., see Ronfard V., 181
Hoppensack M., see Guo, Z.-R., 468
Hu Z.-X., see Huang W.-H., 462
Huang W.-H., Hu Z.-X, Luo Z.-H and Li A.(N.) Further explorations of abnormalities in serum proteins following burns, 462
Huang Y., Li A.(N.), Ai S and Wang T., Application of sulcated half-ring external fixator for treating bone and joint injuries of burned lower

© 1991 Butterworth-Heinemann Ltd
0305–4179/91/060524–05

AUTHOR INDEX

Abstracts, 175, 261, 348, 436, 519
Ai S. see Huang Y., 502
Aihara K., see Suzuki, T., 443
Al-Baker A. A., see Attalla M. F., 170
Alexakis D., see Panayotou P., 47
Allgower M., see Monge G., 269
Alshlash S., see El Danaf A., 62
Anastakis D., see Ng D., 151
Ara M., see Sawada Y., 225
Arendrup K., see Poulsen T. D., 59
Aronson M., see Fried M., 458
Attalla M. F., Al-Baker A. A. and El-Ekiabi S. A., Friction burns of the hand caused by jogging machines: a potential hazard to children, 170
Baena-Montilla, P., see Benito-Ruiz, J. 201
Barisoni D., Bellavite P., Sorio A., Bonazzi M. L., Zermani R. and Bortolani A., Monitoring of elastase in plasma of burned patients in relation to other inflammation parameters, 141
Baruchin, A. M., see Rozenbaum, D., 136
Baruchin A., see Benmeir, P., 402
Baschong W., see Isler H., 93
Bauen A., see Isler H., 93
Bauen A., see Isler H., 99
Bautin E. A. see Shvets V. N., 243
Belcher H. J. C. R. and Eliis H., An investigation of the role of diet and burn-injury on wound-healing, 14
Bellavite P., see Barisoni D., 141
Ben-Bassat M., see Fried M., 458
Ben-Hur N., see Fried M., 338
Ben-Yaqar Y., see Benmeir P., 402
Benito-Ruiz J., Navarro-Monzonis A., Baena-Montilla P. and Mirabet-Ippolito V., An analysis of burn mortality: a report from a Spanish regional burn centre, 201
Benmeir P., see Eldad A., 430
Benmeir P., Levine I., Shostak A., Oz V., Shemer Y. and Sokolova T., The Ural train–gas pipeline catastrophe: the report of the IDF Medical Corps assistance, 320
Benmeir P., Eldad A., Weinberg A., Neuman A., Rotem M., Lusthaus S. and Wexler M. R., Use of buried skin implants after recurrent failure of conventional skin grafting in a massive burn: the renewal of an old technique, 342
Benmeir P., Sagi A., Greber B., Vardy D., Lusthaus S., Picard E., Baruchin A., Hauben D., Ben-Yaqar Y. and Rosenberg et al., L., Analysis of mortality in patients with burns covering 40 percent BSA or more: a Retrospective review covering 24 years (1964–1988), 402
Berliner S., see Fried M., 458
Bhagia S. P., see Kumar P., 425
Bhatnager S. K., see Kumar P., 425
Bhattacharya S., Shatnagar S. K. and Chandra R., Post burn contracture neck – our experience with a new dynamic extension splint, 65
Billi G., see Grisolia G. A., 52
Blight A., Mountford E. M., Cheshire I. M., Clancy J. M. P. and Levick P. L., Treatment of full thickness burn injury using cultured epithelial grafts, 495
Bonazzi M. L., see Barisoni D., 141
Booth M. G., see Kinsella J., 391
Bortolani A., see Barisoni D., 141
Boucher F., Poumay Y., Degan A., Paye M. and Leloup R., Utilization of human cultured epidermal keratinocytes: irreversibility of the inhibition of proliferation induced in stored detached cultures, 205
Bouter L. M., see van Rijn O. J. L., 213
Bouter L. M., see van Rijn O. J. L., 357
Bouter L. M., see van Rijn O. J. L., 364
Bowden M. L., see Prasad J. K., 302
Bowering K., see Davey R. B., 313
Boyle C. M., see Hanley J. A., 104
Broly H., see Ronfard V., 181
Brough M. D., The King's Cross Fire. Part I: the physical injuries, 6
Budkevich, L. and Remensnyder, J. P., Initial experience with surgical treatment of deep burns at a USSR Children's burn plant, 499
Budny P. G., see Regan P. J., 306
Budny P. G., Regan P. J., Riley P. and Roberts A. H. N., Ritual burns – the Buddhist tradition, 335
Budny P. G., see Riley P., 400
Burke J. F., see Hanley J. A., 104
Burn care facilities, 68, 159, 160, 228
Carter E. A., see Trop M., 193
Carter E. A., see Schiffrin E. J., 276
Carter E. A., see Trop M., 288
Carter E. A., see Garg H. G., 452
Catalano P. W., see Law E. J., 254
Chambon E., see Ronfard V., 181
Chandra R., see Bhattacharya S., 65
Chandra R., see Kumar P., 425
Chang L. Y. and Yang J. Y., The role of bone scan in electric burns, 250
Chapman M. J. see Gaukroger P. B., 396
Chaube R. J., see Jain M. L., 340
Cheng Y.-M., see Lai, C.-S., 510
Cheshire I. M., see Blight A., 495
Chissell H. G., see Cole R. P., 117
Chou C.-K., see Lin S.-D., 220
Chou C.-K., see Lin S.-D., 473
Chou C.-K., see Lai C.-S., 510
Clancy J. M. P., see Blight A., 495
Clark W. R. see Nieman G. F., 384
Clarke J. A., see Turley C. B., 56
Cole R. P., Shakespeare P. G., Chissell H. G. and Jones S. G., Thermographic assessment of burns using a non-permeable membrane as wound covering, 117
Dafna Z., see Rozenbaum D., 136
Danti D. A., see Grisolia G. A., 52
Dattatreya R. M., Nuijen S., van Swaaij A. C. P. M. and Klopper P. J., Evaluation of boiled potato peel as a wound dressing, 323
Davey R. B., Wallis K. A. and Bowering K., Adhesive contact media – an update on graft fixation and burn scar management, 313
Davey R. B., see Gaukroger P. B., 396
Davies J. W. L., Challenges for the future in burn research and burn care, 25
Degen A., see Boucher F., 205
Dolynchuk K. N., Plasma fibronectin levels as predictive of survival in major thermal injury, 185
Donelan M. B., see Garg H. G., 452
Douglas L. G., see Ng D., 151
Dreyer M., see Leicht P., 230
Du, G.-B., Slater H. and Goldfarb I. W., Influences of different resuscitation regimens on acute early weight gain in extensively burned patients, 147
Edelman G. C., Sweet M. E., Messing E. and Helgerson R. B., Treatment of severe electrical burns of the genitalia and perineum by early excision and grafting, 506
Egorov B. B., see Shvets V. N., 243
El Danaf A., Alshlash S., Filobbos P., Rasmi M. and Salem S., Analysis of 105 patients admitted over a 2-year period to a modern burns unit in Saudi Arabia, 62
El-Ekiabi S. A., see Attalla M. F., 170
Eldad A., and Tuchman I., The use of Omiderm as an interface for skin grafting, 155
Eldad A., and Simon G. A., The phosphorous burn – a preliminary comparative experimental study of various forms of treatment, 198
Eldad A., see Benmeir P., 342
Eldad A., Simon G. A., Kadae T. and Kushnir M., Immediate dressing of the burn wound, will it change it's natural history?, 233
Eldad A., Neuman A., Weinberg A., Benmeir P., Rotem, M. and Wexler M. R., silver sulphadiazine-induced haemolytic anaemia in a glucose-6-phosphate dehydrogenase-deficient burn patient, 430
Ellis H., see Belcher H. J. C. R., 14
Fernandes Sr B., see Vartak A. M., 239
Filobbos P., see El Danaf A., 62
Forbes M., see Gray J. H., 37
Franco A., see Maldonado M. D., 188
Freund K. G., see Poulsen T. D., 59
Fried M., Rosenberg B., Tuchman I., Ben-Hur N., Yardeni P., Sternberg N. and Golan J., Electrical burn injury of the scalp – bone regrowth following application of latissimus dorsi free flap to the area, 338
Fried M., Ben-Hur N., Berliner S., Medalia O., Aronson M., Kidron D. and Ben-Bassat M., The state of leukocyte adhesiveness/aggregation (LAA) in the peripheral blood of burned mice: an early and sensitive inflammatory indicator and a marker of pulmonary leukostasis, 458
Galizia J. P., see Ronfard V., 181
Garg A. K., see Jain M. L., 340
Garg H. G., Lippay E. W., Carter E. A. Donelan M. B. and Remesnyder J. P., Proteoglycan synthesis in human skin and burn scar explant cultures, 452
Gattis C. S., see Law E. J., 75
Gaukroger P. B., Chapman M. J. and Davey R. B., Pain control in paediatric burns – the use of patient controlled analgesia (PCA), 396
Germann, E., see Gray J. H., 37
Golan J., see Fried M., 338
Goldfarb I. W., see Du, G.-B., 147
Goto M., see Ono I., 110
Gray J. H., Henry D. A., Forbes M., Germann E., Roberts F. J. and Snelling C. F. T., Comparison of silver sulphadiazine 1 per cent, silver sulphadiazine 1 per cent plus chlorhexidine digluconate 0.2 per cent and mafenide acetate 8.5 per cent for topical antibacterial effect in infected full thickness rat burn wounds, 37
Greber B., see Benmeir P., 402
Griffiths T. A., see Williams E. E., 478
Grisolia G. A., Pelli P., Pinzauti E., Panozzo G., Stuto A., Danti D. A., Billi G. and Pampaloni, Skin substitutes in the treatment of deep partial thickness burns in children: clinical experience and long term results, 52
Grol M. E. C., see van Rijn O. J. L., 357
Guo Z.-R, Sheng S.-Y., Oppenheimer L., Hoppensack M. and Schneider U., Pulmonary oedema in isolated lung lobe after inhalation injury, 468
Hakim T., see Nieman G. F., 384
Hambleton J. and Shakespeare P. G., Thermal damage to skin collagen, 209
Hammarlund C., see Svedman C., 41
Hammarlund C., Svedman C. and Svedman P., Hyperbaric oxygen treatment of healthy volunteers with u.v.-irradiated blister wounds, 296
Handel J. and Steinbrecher H. A., Thromboembolic events in a severely burned patient, 514
Hanley J. A., Burke J. F., Locke J. A. and Boyle C. M., Sampling events in space and time: a case study of burn injuries, 104
Hauben D., see Benmeir P., 402
Helgerson R. B., see Edelman G. C., 506
Henry D. A., see Gray J. H., 37
Hirayama T., see Suzuki T., 443
Hirohata Y., see Suzuki T., 443
Hochart D., see Ronfard V., 181
Hoppensack M., see Guo, Z.-R., 468
Hu Z.-X., see Huang W.-H., 462
Huang W.-H., Hu Z.-X, Luo Z.-H and Li A.(N.) Further explorations of abnormalities in serum proteins following burns, 462
Huang Y., Li A.(N.), Ai S and Wang T., Application of sulcated half-ring external fixator for treating bone and joint injuries of burned lower

© 1991 Butterworth-Heinemann Ltd
0305–4179/91/060524–05

extremities – a report of four cases, 502
Huart J. J., see Ronfard V., 181
Hubler M., see Isler H., 99
Hui Xu., see Jie Xiao, 423
Ioannovich J. D., see Panayotou P., 47
Isler H., Bauen A. and Baschong W., Topical treatment of standardized burns with a protein-free haemodialysate, 93
Isler H., Bauen A., Hubler M. and Okberholzer M., Morophometric assessment of wound healing in rats treated with a protein-free haemodialysate, 99
Jackson D. M., The evolution of burn treatment in the last 50 years, 329
Jain M. L., Garg A. K. and Chaube R. J. Pyogenic pericarditis in a patient with burns – a rare complication, 340
Jayaraman V., see Ramakrishnan K. M., 481
Jensen, M., see Moller S., 279
Jie Xiao, Hui Xu and Yin Kong Fang, Bilateral visual loss after severe burns in a child, 423
Jones S. G., see Cole R. P., 117
Kadae T., see Eldad A., 233
Kasai T., see Tanaka H., 425
Kato S., see Ono I., 110
Kearney J. N., Cryopreservation of cultured skin cells, 380
Kedwards S. M., see Terrill P. J., 161
Kester A. D. M., see van Rijn O. J. L., 213
Kester A. D. M., see van Rijn O. J. L., 357
Keswani M. H., see Vartak A. M., 239
Kidron D., see Fried M., 458
Kinsella J. and Booth M. G., Pain relief in burns: James Laing Memorial Essay 1990, 391
Klopper P. J., see Dattatreya R. M., 323
Knipschild P. G., see van Rijn O. J. L., 213
Kobayashi K., see Tanaka H., 425
Kok G., see van Rijn O. J. L., 364
Koller J., High-tension electrical-arc-induced thermal burns caused by railway overhead cables, 411
Kumar P., Chandra R., Bhatnager S. K. and Bhagia S. P., Parascapular fasciocutaneous flap covering an above-elbow amputation stump, 425
Kushnir M., see Eldad A., 233
Kutlu N., see Svedman C., 41
Lai C.-S., see Lin, S.-D., 220
Lai C.-S., Lin S.-D., Chou C.-K. and Cheng Y.-M., Use of a cross-leg free muscle flap to reconstruct an extensive burn wound involving a lower extremity, 510
Lai C.-S., see Lin S.-D., 473
Laitung J. K. G. see Murison M. S. C., 484
Larsen T. K., see Leicht P., 230
Lavelle J. R., see Regan P. J., 306
Law E. J., Still J. M. and Gattis C. S., The use of erythropoietin in two burned patients who are Jehovah's witnesses, 75
Law E. J., Orlet H. K., Still J. M., Catalano P. W. and Mucha E., Purulent pericarditis in an adult burn patient treated with survival, 254
Lawrence J. C., see Terrill P. J., 161
Leicht P., Siim E., Dreyer M. and Larsen T. K., Duoderm application on scalp donor sites in children, 230
Leloup R., see Boucher F., 205
Levick P. L., see Blight A., 495
Levine I., see Benmeir P., 320
Li A.(N.), see Huang W. H., 462
Li A.(N.), see Huang Y., 502
Lin S.-D., see Lai C.-S., 510
Lin S.-D., Chou C.-K., Yang C.-C. and Lai C.-S., Management of hypertrophic scars on the pubic area with an iliac flap, 220
Lin S.-D., Chou C.-K., Lai C.-S. and Yang C.-C., Microskin grafting of rabbits with pigskin xenograft overlay, 473
Lippay E. W., see Garg H. G., 452
Locke J. A., see Hanely J. A., 104
Luo Z.-H., see Huang, W.-H., 462
Lusthaus S., see Benmeir P., 342
Lusthaus S., see Benmeir P., 342
Lusthaus S., see Benmeir P., 402
MacMillan A. R. G., Oliver A. J., Richardson L. and Reade P. C., An intraoral splint for the prevention of microstomia from facial burns, 72
Malakhov S. F., see Shvets V. N., 243
Maldonado M. D., Venturoli A., Franco A. and Nunez-Roldan A., Specific changes in peripheral blood lymphocyte phenotype from burn patients. Probable origin of the thermal-injury-related lymphocytopenia, 188
Martyn J., see Tomera J. F., 371
Mathivanen T., see Ramakrishnan K. M., 481
Matthews R. N., Rauf K. G. and Warren J., The Coventry thermal injury study, 33
Medalia O., see Fried M., 458
Meertens R. M., see van Rijn O. J. L., 213
Meertens R. M., see van Rijn O. J. L., 364
Messing E., see Edelman G. C., 506
Mills G. B., see Teodorczyk-Injeyan J. A., 290
Mirabet-Ippolito V., see Benito-Ruiz J., 201
Mitchell V., see Ronfard V., 181
Miyashita M., see Ono I., 110
Moir G. G., Shakespeare V. and Shakespeare P. G., Audit of thermally injured children under five years of age, 406
Moller S., Jensen M., Svensson P. and Skakkebaek N. E., Insulin-like growth factor 1 (IGF-1) in burn patients, 279
Monge G., Sparkes B. G., Allgower M. and Schoenenberger G. A., Influence of burn-induced lipid-protein complex of IL1 secretion by PBMC in vitro, 269
Mountford E. M., see Blight A., 495
Mucha E., see Law E. J., 254
Mulder S., see van Rijn O. J. L., 357
Murazumi M., see Ono I., 110
Murison M. S. C., Laitung J. K. G. and Pigott R. W., Effectiveness of burns resuscitation using two different formulae, 484
Murray J. P. and Stephen F. R., Prevention of hot water burns – a study of electric immersion heater safety, 417
Nakhla L. S. and Sanders R., Microbiological aspects of burns at Mount Vernon Hospital, UK, 309
Navarro-Monzonis A., see Benito-Ruiz J., 201
Neuman A., see Benmeir P., 342
Neuman A., see Eldad, A., 430
Ng D., Anastakis D., Douglas L. G. and Peters W. J., Work-related burns: a six-year retrsopective study, 151
Nieman G. F., Clark W. R. and Hakim T., Methylprednisolone does not protect the lung from inhalation, 384
Nuijen S., see Dattatreya R. M., 323
Nunez-Roldan A., see Maldonado M. D., 188
Nyhuus P., see Poulsen T. D., 59
Ohura T., see Ono I., 110
Okberholzer M., see Isler H., 99
Oliver A. J., see MacMillan A. R. G., 72
Ono I., Ohura T., Sakamura R., Murazumi M., Sekido M., Miyashita M., Goto M., Kato S., Sumiya S., Effect of enriched lactate solution (ELS) for resuscitation after burn injury, 110
Oppenheimer L., see Guo Z.-R., 468
Orlet H. K., see Law E. J., 254
Oz, V., see Benmeir P., 320
Pampaloni A., see Grisolia G. A., 52
Panayotou P., Alexakis D., Striglis Ch and Ioannovich J. D., Epidemiological data on burn injuries in Greece: a statistical evaluation, 47
Panozzo G., see Grisolia G. A., 52
Papini R. P. G., 'Is all that's blistered burned?' . . . a case of kerosene contact burns 415
Papp, Ch see Stuffer M., 166
Patil A. R., see Vartak A. M., 239
Paye M., see Boucher F., 205
Pedersen O. D., see Poulsen T. D., 59
Pellerin P., see Ronfard V., 181
Pelli P., see Grisolia G. A., 52
Peters W. J., see Ng D., 151
Peters W. J., see Teodorczyk-Injeyan J. A., 290
Peters W., 'Special effects' burn injuries, 50
Picard E., see Benmeir P., 402
Pigott, R. W., see Murison M. S. C., 484
Pinzauti E., see Grisolia G. A., 52
Poulsen T. D., Freund K. G., Arendrup K., Nyhuus P. and Pedersen O. D., Polyurethane film (Opsite) versus impregnated gauze (Jelonet) in the teatment of outpatient burns: a prospective, randomized study, 59
Poumay Y., see Boucher F., 205
Prasad J. K., Taddonio T. E. and Thomson P. D., Prospective comparison of a bovine collagen dressing to bovine spray thrombin for control of haemorrhage of skin graft donor sites, 70
Prasad J. K., Bowden M. L. and Thomson P. D., A review of the reconstructive surgery needs of 3167 survivors of burn injury, 302
Ramachandran K., see Ramakrishnan K. M., 481
Ramakrishnan K. M., Ramachandran K., Jayaraman V. and Mathivanen T., Electrical burns treated in an Indian hospital, 481
Rasmi M., see El Danaf A., 62
Rauf K. G., see Matthews R. N., 33
Reade P. C., see MacMillan A. R. G., 72
Recent References, 173, 259, 344, 433
Regan P. J., see Budny P. G., 335
Regan P. J., Budny P. G., Lavelle J. R. and Roberts A. H. N., Bonfire and barbecue burns, 306
Regan P. J., see Riley P., 400
Remensnyder J. P., see Budkevich L., 499
Remensnyder J. P., see Garg H. G., 452
Richardson L., see MacMillan A. R. G., 72
Riley P., see Budny P. G., 335
Riley P., Regan P. J., Budny P. G. and Roberts A. H. N., Contact burns due to thermoplastic road paint, 400
Roberts A. H. N. see Regan P. J., 306
Roberts A. H. N. see Budny P. G., 335
Roberts A. H. N. see Riley P., 400
Roberts F. J., see Gray J. H., 37
Ronfard V., Broly H., Mitchell V., Galizia J. P., Hochart D., Chambon E., Pellerin P. and Huart, Use of human keratinocytes cultured on fibrin glue in the treatment of burn wounds, 181
Rosenberg et al., L. see Benmeir P., 402
Rosenberg B., see Fried M., 338
Rosser R., see Sturgeon D., 10
Rotem M., see Benmeir P., 342
Rotem M., see Eldad A., 430
Rozenbaum D., Baruchin A. M. and Dafna Z., Chemical burns of the eye with special reference to alkali burns, 136
Sagi A., see Benmeir P., 402
Sakamura R., see Ono I., 110
Salem S., see El Danaf A., 62
Sanders R., see Nakhla L. S., 309
Sarto Piccolo N., Sarto Piccolo-Lobo M. and Piccolo-Daher M. T. S., Two years in burn care, an analysis of 12 423 cases, 490
Sarto Piccolo-Daher M. T., see Sarto Piccolo N., 490
Sarto Piccolo-Lobo M., see Sarto Piccolo N., 490
Savitri Sr see Vartak A. M., 239
Sawada Y., Ara M. and Yotsuyanagi T., A thrombin ointment that achieves rapid haemostasis of split thickness donor wounds particularly on the scalp, 225
Schiffrin E. J., see Trop M., 193
Schiffrin E. J., Trop M., Schroeder S. and Carter E. A., Platelet-activating factor (PAF) induces intestinal necrosis, but not septic shock, in germ-free and specific-pathogen-free rodents, 276
Schiffrin E. R. see Trop M., 288
Schneider U., see Guo Z.-R., 468
Schoenenberger G. S., see Monge, G., 269
Schroeder S., see Schiffrin E. J., 276
Sekido M., see Ono I., 110
Shakespeare P. G., see Cole R. P., 117
Shakespeare P. G., see Hambleton J., 209

Shakespeare P. G. see Moir G. C., 406
Shatnagar S. K., see Bhattacharya S., 65
Shemer Y., see Benmeir P., 320
Sheng, Z.-Y., see Guo, Z.-R., 468
Shoenberg P., see Sturgeon D., 10
Shostak A., see Benmeir P., 320
Shvets V. N., Malakhov S. F., Egorov B. B., Bautin E. A. and Vnukova Z. E., The ability of microautotransplants to reepithelize deep and extensive skin injuries, 243
Siim E., see Leicht P., 230
Simon G. A., see Eldad A., 198
Simon G. A., see Eldad A., 233
Skakkebaek N. E., see Møller S., 279
Slater H., see Du G.-B., 147
Smahel J., Viability of skin subjected to deep partial skin thickness thermal damage: experimental studies, 17
Snelling C. F. T., see Gray J. H., 37
Sokolova T., see Benmeir P., 320
Songbao, Wang see Zongrong, Chen, 282
Sorio A., see Barisoni D., 141
Sparkes B. G., see Monge G., 269
Sparkes B. G., see Teodorczyk-Injeyan J. A., 290
Sparkes B. G., Influence of burn-induced lipid-protein-complex on IL2 secretion by PBMC in vitro, 129
Steinbrecher H. A., see Handel J., 514
Stephen F. R., see Murray J. P., 417
Sternberg N., see Fried M., 338
Still J. M., see Law E. J., 75
Still J. M., see Law E. J., 254
Striglis Ch., see Panayotou P., 47
Stuffer M. and Papp Ch, Reconstruction of large scar areas with controlled tissue expansion combined with fasciocutaneous flaps, 166
Sturgeon D., Rosser R. and Shoenberg P., The Kings Cross Fire. Part 2: the psychological injuries, 10
Stuto A., see Grisolia G. A., 52
Sumiya S., see Ono I., 110
Sutherland A. B., see Wyllie F. J., 123
Suzuki H., see Tanaka H., 425
Suzuki T., Hirayama T., Aihara K. and Hirohata Y., Experimental studies of moderate temperature burns, 443
Svedman C., see Hammarlund C., 296
Svedman C., Hammarlund C., Kutlu N. and Svedman P., Skin suction blister wound exposed to UV-irradiation a burn wound model for use in humans, 41
Svedman P., see Svedman C., 41
Svedman P., see Hammarlund C., 296
Svensson P., see Møller S., 279
Sweet M. E., see Edelman G. C., 506
Taddonio T. E., see Prasad J. K., 70
Tanaka H., Suzuki H., Kasai T. and Kobayashi K., Rupture of the heart in a burn patient A case report of free wall rupture of the left ventricle 425
Teodorczyk-Injeyan J. A., Sparkes B. G., Mills G. B. and Peters W. J., Soluble interleukin 2-receptor α secretion is related to altered interleukin 2 production in thermally injured patients, 290
Terrill P. J., Kedwards S. M. and Lawrence J. C., The use of GORE-TEX bags for hand burns, 161
Thomson P. D., see Prasad J. K., 70
Thomson P. D., see Prasad J. K., 302
Tomera J. F., and Martyn J., Gastrocnemius acetylcholinesterase activity in response to burn trauma in the mouse, 371
Trop M., see Schiffrin E. J., 276
Trop M., Schiffrin E. J. and Carter E. A., Effect of platelet activating factor on reticuloendothelial system function, 193
Trop M., Schiffrin E. R. and Carter E. A., Effect of haemolysis on reticuloendothelial system (RES) phagocytic activity in rats, 288
Tuchman I., see Eldad A., 155
Tuchman I., see Fried M., 338
Turley C. B. and Clarke J. A., Salvage of forearm skin as an ulnar artery flap in a severely burnt upper limb, 56
van Rijn O. J. L., Bouter L. M., Kester A. D. M., Knipschild P. G. and Meertens R. M., Aetiology of burn injuries among children aged 0–4 y: results of a case-control study, 213
van Rijn O. J. L., Grol M. E. C., Bouter L. M., Mulder S. and Kester A. D. M., Incidence of medically treated burns in the Netherlands, 357
van Rijn O. J. L., Meertens R. M., Kok G. and Bouter L. M., Determinants of behavioural risk factors for burn injuries, 364
van Swaaij A. C. P. M. see Dattatreya R. M., 323
Vardy D., see Benmeir P., 402
Vartak A. M., Keswani M. H., Patil A. R., Savitri Sr and Fernandes Sr B., Cellophane – a dressing for split skin graft donor sites, 239
Venturoli A., see Maldonado M. D., 188
Vnukova Z. E., see Shvets V. N., 243
Wallis K. A., see Davey R. B., 313
Wang J., see Huang Y., 502
Warren J., see Matthews R. N., 33
Weinberg A., see Benmeir P., 342
Weinberg A., see Eldad A., 430
Wexler M. R., see Benmeir P., 342
Wexler M. R., see Eldad A., 430
Williams E. E. and Griffiths T. A., Psychological consequences of burn injury, 478
Wyllie F. J. and Sutherland A. B., Measurement of surface temperature as an aid to the diagnosis of burn depth, 123
Yang C.-C. see Lin, S.-D., 220
Yang C.-C., see Lin, S.-D., 473
Yang J. Y., see Chang L. Y., 250
Yardeni P., see Fried M., 338
Ye Xiong see Zongrong Chen, 282
Yen Dong see Zongrong Chen, 282
Yin Kong Fang see Jie Xiao, 423
Yotsuyanagi T., see Sawada Y., 225
Zermani R., see Barisoni D., 141
Zongrong Chen, Ye Xiong, Songbao Wang and Yen Dong, Inhibition of mitochondrial respiratory function by an organic solvent extractable component from an extract of burn eschar, 282

SUBJECT INDEX

A. B. Wallace Memorial Lecture
  burn research, burn care, 25
above-elbow amputation stump
  parascapular fasciocutaneous flap, 425
acetylcholinesterase activity
  gastrocnemius, burn trauma, mouse, 371
adhesive contact media
  graft fixation, burn scar management, 313
aetiology of burn injuries
  children aged 0–4 y, 213
alkali burns
  chemical burns, eye burns, 136
altered interleukin 2 production
  soluble interleukin 2-receptor, 290
audit
  thermally injured children, 406
barbecue
  bonfire burns, 306
behavioural risk factors
  burn injuries, 364
bilateral visual loss
  severe burns, children, 423
blisters
  kerosene, contact burns, 415
boiled potato peel
  wound dressing, 323
bone and joint injuries
  half-ring external fixator, lower extremities, 502
bone regrowth
  electrical burn injury, scalp, latissimus dorsi free flap, 338
bone scan
  electrical burns, 250
bonfire burns
  barbecue, 306
bovine collagen dressing
  bovine spray thrombin, control of haemorrhage, skin graft donor sites, 70
bovine spray thrombin
  bovine collagen dressing, control of haemorrhage, skin graft donor sites, 70
Buddhist
  ritual burns, tradition, 335
buried skin implants
  skin grafting, massive burn, 342
burn care
  burn research, A. B. Wallace Memorial Lecture, 25, 490
  facilities in France, 68
  facilities in Portugal, 159
  facilities in Czechoslovakia, 160
  facilities in Israel, 228
burn eschar
  mitochondrial respiratory function, organic solvent extractable component, extract, 282
burn injuries in Greece
  epidemiological data, 47
burn injury
  diet, wound healing, 14
  behavioural risk factors, 364
  psychological consequences, 478
burn mortality
  Spanish regional burn centre, 201
burn patient
  rupture of the heart, free wall rupture, left ventricle, 425
burn research
  burn care, A. B. Wallace Memorial Lecture, 25
burn scar explant cultures
  proteoglycan synthesis, human skin, 452
burn scar management
  adhesive contact media, graft fixation, 313
burn trauma
  gastrocnemius acetylcholinesterase activity, mouse, 371
burn treatment
  fifty years of treatment, 329
  skin suction blister wound, u.v. irradiation, 41
burn wounds
  human keratinocytes, fibrin glue, 181
burn-induced lipid–protein complex, IL1 secretion, PBMC, in vitro, 269
  IL2 secretion, PBMC, 129
burns resuscitation, 484

burns unit in Saudi Arabia, 62
cellophane
  dressing for split-thickness skin graft, donor sites, 239
chemical burns
  eye burns, alkali burns, 136
children
  duoderm, scalp donor sites, 230
  bilateral visual loss, severe burns, 423
  skin substitutes, deep partial skin thickness burns, 52
children aged 0-4 y
  aetiology of burn injuries, 213
children's burn unit
  surgical treatment, deep burns, USSR, 499
contact burns
burn wound model
  thermoplastic road paint, 400
  blistered, kerosene, 415
control of haemorrhage
  bovine collagen dressing, bovine spray thrombin, skin graft donor sites, 70
controlled tissue expansion
  reconstruction, large scar areas, fasiocutaneous flaps, 166
Coventry thermal injury study, 33
cross-leg free muscle flap
  lower extremity, 510
cryopreservation
  cultured skin cells, 380
cultured epithelial grafts
  full thickness burns, 495
cultured skin cells
  cryopreservation, 380
deep and extensive skin injuries
  microautotransplants, re-epithelialize, 243
deep burns
  surgical treatment, USSR, children's burn unit, 499
deep partial skin thickness burns
  skin substitutes, children, 52
deep partial skin thickness thermal damage
  skin viability, experimental studies, 17
detached cultures
  human keratinocytes, proliferation of keratinocytes, stored keratinocytes, 205
diagnosis of burn depth
  surface temperature, 123
diet
  burn injury, wound healing, 14
donor sites
  cellophane, dressing for split-thickness skin graft, 239
dressing for split-thickness skin graft
  cellophane, donor sites, 239
dressing of the burn wound
  natural history of burn wounds, 233
duoderm
  scalp donor sites, children, 230
early excision
  electrical burns, genitalia, perineum, grafting, 506
early weight gain
  resuscitation regimens, 147
elastase
  plasma of burned patients, inflammation parameters, 141
electric immersion heater safety
  hot tap water burns, 417
electrical burn injury
  scalp, bone regrowth, latissimus dorsi free flap, 338
electrical burns
  bone scan, 250
  Indian hospital, 481
  genitalia, perineum, early excision, grafting, 506
enriched lactate solution (ELS)
  resuscitation after burn injury, 110
epidemiological data
  burn injuries in Greece, 47
epidemiology of burn injury 104
erythropoietin
  Jehovah's Witnesses, 75
experimental studies
  skin viability, deep partial skin thickness thermal damage, 17
  moderate temperature burns, 443
extract
  mitochondrial respiratory function, organic solvent extractable component, burn eschar, 282
eye burns
  chemical burns, alkali burns, 136
facial burns
  intraoral splint, microstomia, 72
fasciocutaneous flaps
  reconstruction, large scar areas, controlled tissue expansion, 166
fibrin glue
  human keratinocytes, burn wounds, 181
fifty years of treatment
  burn treatment, 329
forearm skin
  ulnar artery flap, severely burned upper limb, 56
free wall rupture
  rupture of the heart, burn patient, left ventricle, 425
friction burns
  jogging machines, potential burn hazard to children, 170
full thickness burns,
topical antibacterial effects, infected burns, rats, 37
  cultured epithelial grafts, 495
gastrocnemius acetylcholinesterase activity
  burn trauma, mouse, 371
genitalia
  electrical burns, perineum, early excision, grafting, 506
germ-free
  platelet-activating factor, intestinal necrosis, septic shock, specific pathogen-free rodents, 276
glucose-6-phosphate dehydrogenase deficiency
  silver-sulphadiazine, haemolytic anaemia, 430
GORE-TEX bags
  hand burns, 161
graft fixation
  adhesive contact media, burn scar management, 313
grafting
  electrical burns, genitalia, perineum, early excision 506
haemolysis
  reticuloendothelial system, RES, phagocytic activity, rats, 288
haemolytic anaemia
  silver-sulphadiazine, glucose-6-phosphate dehydrogenase deficiency, 430
half-ring external fixator
  bone and joint injuries, lower extremities, 502
hand burns
  GORE-TEX bags, 161
high-tension electrical-arc-induced thermal burns
  railway overhead cables, 411
hot tap water burns
  electric, immersion heater safety, 417
human keratinocytes from glue, burn wounds
  proliferation of keratinocytes, stored keratinocytes, detached cultures, 205
human skin
  proteoglycan synthesis, burn scar explant cultures, 452
hyperbaric oxygen
  u.v. irradiated blister wounds, 296
hypertrophic scars
  pubic area, iliac flap, 220
IDF Medical Corps
  Ural train–gas pipeline catastrophe, 320
IL1 secretion
  burn-induced lipid-protein complex, PBMC, in vitro, 269
IL2 secretion
  burn-induced lipid-protein complex, PBMC, 129
iliac flap
  hypertrophic scars, pubic area, 220
impregnated gauze (Jelonet)
  polyurethane film (Opsite), outpatient burns, prospective, randomized study, 59
Indian hospital
  electrical burns, 481
in vitro
  burn-induced, lipid-protien complex, IL1 secretion, PBMC, 269
incidence of burns
  medically treated burns, the Netherlands, 357
Infected burns
  topical antibacterial effects, full thickness burns, rats, 37
inflammation parameters
  elastase, plasma of burned patients, 141
inflammatory indicator
  leucocyte adhesiveness, leucocyge aggregation (LAA), peripheral blood, mouse, 458
inhalation injury
  methylpredisolone, lung, 384
  pulmonary oedema, lung lobe, 468
insulin-like growth 1 (IGF-1), 279
interface for skin grafting
  Omiderm, 155
intestinal necrosis
  platelet-activating factor, septic shock, germ-free, specific pathogen-free rodents, 276
intraoral splint
  microstomia, facial burns, 72
James Laing Memorial Essay 1990
  pain relief, 391
Jehovah's Witnesses
  erythropoietin, 75
jogging machines
  friction burns, potential burn hazard to children, 170
kerosene
  blisters, contact burns, 415
King's Cross Fire
  physical burn injuries, 6
  psychological burn injuries, 10
large scar areas
  reconstruction, controlled tissue expansion, fasciocutaneous flaps, 166
latissimus dorsi free flap
  electrical burn injury, scalp, bone regrowth, 338
left ventricle
  rupture of the heart, burn patient, free wall rupture, 425
leucocyte adhesiveness
  leucocyte aggregation (LAA), indicator, peripheral blood, mouse, inflammatory indicator, 458
leucocyte aggregation (LAA)
  leucocyte adhesiveness, peripheral blood, mouse, inflammatory indicator, 458
lipid–protein complex
  burn-induced, IL1 secretion, PMBC, in vitro, 269
lower extremities
  half-ring external fixator, bone and joint injuries, 502
  cross-leg free muscle flap, 510
lung
  methylpredisolone, inhalation injury, 384
lung lobe
  pulmonary oedema, inhalation injury, 468
lymphocytopenia
  peripheral blood lymphocytes, lymphocyte phenotype, thermal injury, 188
lymphocyte phenotype
  peripheral blood lymphocytes, thermal injury, lymhocytopenia, 188
major thermal injury
  plasma fibronectin, predictors, of survival, 185
massive burn
  burn skin implants, skin grafting, 342
medically treated burns
  incidence of burns, the Netherlands, 357
methylpredisolone
  lung, inhalation injury, 384
microautotranspiants

re-epithelialize, deep and extensive skin injuries, 243
microbiological aspects of burns
Mount Vernon Hospital, UK, 309
microskin grafting
rabbits, pigskin
xenograft overlay, 473
microstomia
intraoral splint, facial burns, 72
mitochondrial respiratory function
organic solvent extractable component, extract, burn eschar, 282
moderate temperature burns
experimental studies, 443
mortality
retrospective review, 402
Mount Vernon Hospital, UK
microbiological aspects of burns, 309
mouse
gastrocnemius acetylcholinesterase activity, burn trauma, 371
leucocyte adhesiveness, leucocyte aggregation (LAA), peripheral blood, inflammatory indicator, 458
natural history of burn wounds
dressing of the burn wound, 233
Netherlands
incidence of burns, medically treated burns, 357
new dynamic extension split
postburn contracture neck, 65
nonpermeable membrane
thermographic assessment, wound covering, 117
Omiderm
interface for skin grafting, 155
organic solvent extractable component
mitochondrial respiratory function, extract, burn eschar, 282
outpatient burns
polyurethane film (Opsite), impregnated gauze (Jelonet), prospective, randomized study, 59
paediatric burns
pain control, patient controiled analgesia, 396
pain control
paediatric burns, patient controlled analgesia, 396
pain relief
James Laing Memorial Essay 1990, 391
parascapular fasciocutaneous flap
above-elbow amputation stump, 425
patient controlled analgesia
pain control, paediatric burns, 396
perineum
electrical burns, genitalia, early excision, grafting, 506
peripheral blood
leucocyte adhesiveness, leucocyte aggregation (LAA), mouse, inflammatory indicatory, 458
peripheral blood lymphocytes
lymphocyte phenotype, thermal injury, lymphocytopenia, 188
phagocytic activity
haemolysis, reticuloendothelial system, RES, rats, 288
phosphorous burn
treatment of phosphorous burns, 198
physical burn injuries
King's Cross Fire, 6
pigskin xenograft overlay
microskin grafting, rabbits, 473
plasma fibronectin
predictors of survival, major thermal injury, 185
plasma of burned patients
elastase, inflammation parameters, 141
platelet activating factor
reticuloendothelial system, 193
platelet-activating factor
intestinal necrosis, septic shock, germ-free, specific pathogen-free rodents, 276
PMBC
burn-induced lipid-protein-complex, IL2 secretion, 129
burn-induced, lipid-protein complex, IL1 secretion, in vitro, 269
polyurethane film (Opsite)
impregnated gauze (Jelonet), outpatient burns, prospective, randomized study, 59
postburn contracture neck
new dynamic extension split, 65
potential burn hazard to children
friction burns, jogging machines, 170
predictors of survival
plasma fibronectin, major thermal injury, 185
proliferation of keratinocytes
human keratinocytes, stored keratinocytes, detached cultures, 205
prospective randomized study
polyurethane film (Opsite), impregnated gauze (Jelonet), outpatient burns, 59
protein-free haemodialysate
topical treatment, standardized burns, 93
proteoglycan synthesis
human skin, burn scar explant cultures, 452
psychological consequences
burn injury, 478
psychological burn injuries
King's Cross Fire, 10
pubic area
hypertrophic scars, iliac flap, 220
pulmonary oedema
lung lobe, inhalation injury, 468
purulent pericarditis, 254
pyogenic pericarditis, 340
rabbits
microskin grafting, pigskin
xenograft overlay, 473
railway overhead cables
high-tension electrical-arc-induced thermal burns, 411
rapid haemostasis
thrombin ointment, split thickness donor wounds, scalp, 225
rats
topical antibacterial effects, infected burns, full skin thickness burns; 37
haemolysis, reticuloendothelial system, RES, phagocytic activity, 288
re-epithelialize
microautotransplants, deep and extensive skin injuries, 243
reconstruction
large scar areas, controlled tissue expansion, fasciocutaneous flaps, 166
reconstructive surgery, 302
resuscitation after burn injury
enriched lactate solution (ELS), 110
resuscitation regimens
early weight gain, 147
RES
haemolysis, reticuloendothelial system, phagocytic activity, rats, 288
reticuloendothelial system
platelet activating factor, 193
haemolysis, RES,
phagocytic activity, rats, 288
retrospective reivew
mortality, 402
ritual burns
Buddhist, tradition, 335
rupture of the heart
burn patient, free wall rupture, left ventricle, 425
scalp
thrombin ointment, rapid haemostasis, split thickness donor wounds, 225
electrical burn injury, bone regrowth, latissimus dorsi free flap, 338
scalp donor sites
duoderm, children, 230
septic shock
platelet-activating factor, intestinal necrosis, germ-free, specific pathogen-free rodents, 276
serum protein abnormalities, 462
severe burns
bilateral visual loss, children, 423
severely burned upper limb
forearm skin, ulnar artery flap, 56
silver-sulphadiazine
haemolytic anaemia, glucose-6-phosphate dehydrogenase deficiency, 430
skin collagen
thermal damage, 209
skin graft donor sites
bovine collagen dressing, bovine spray thrombin, control of haemorrhage, 70
skin grafting
buried skin implants, massive burn, 342
skin substitutes
deep partial skin thickness burns, children, 52
skin suction blister wound
u.v. irradiation, burn wound model, 41
skin viability
deep partial skin thickness thermal damage, experimental studies, 17
soluble interleukin 2-receptor
Spanish regional burn centre
burn mortality, 201
altered interleukin 2 production, 290
'Special effects' burn injuries, 50
specific pathogen-free rodents
platelet-activating factor, intestinal necrosis, septic shock, germ-free, 276
split thickness donor wounds
thrombin ointment, rapid haemostasis, scalp, 225
standardized burns
topical treatment, protein-free haemodialysate, 93
stored keratinocytes
human keratinocytes, proliferation of keratinocytes, detached cultures, 205
surface temperature
diagnosis of burn depth, 123
surgical treatment
deep burns, USSR, children's burn unit, 499
thermal damage
skin collagen, 209
thermal injury
peripheral blood lymphocytes, lymphocyte phenotype, lymphocytopenia, 188
thermally injured children
audit, 406
thermographic assessment
nonpermeable membrane, wound covering, 117
thermoplastic road paint
contact burns, 400
thrombin ointment
rapid haemostasis, split thickness donor wounds, scalp, 255
thromboembolic events, 514
topical antibacterial effects
infected burns, full thickness burns, rats, 37
topical treatment
standardized burns, protein-free haemodialysate,
tradition
ritual burns, Buddhist, 335
treatment of phosphorous burns
phosphorous burn, 198
USSR
surgical treatment, deep burns, children's burn unit, 499
Ural train–gas pipeline catastrophe
IDF Medical Corps, 320
u.v. irradiated blister wounds
hyperbaric oxygen, 296
u.v. irradiation
skin suction blister wound, burn wound model, 41
ulnar artery flap
forearm skin, severely burned upper limb, 56
work-related burns, 151
wound covering
thermographic assessment, nonpermeable membrane, 117
wound dressing
boiled potato peel, 323
wound healing
diet, burn injury, 14